



LINGO SQUARE

SHELVING & DISPLAY



DIMENSIONS

LINGO SQUARE



Lingo Square can be used in different environments for display, storage, exhibition and more. The top plate can also serve as a worktable, display or a play area.


Each configuration consists of end panels, back panels, top and bottom plate and fittings and is either equipped with plinth or 8 castors (Ø75 mm, 2 with brakes). Configurations are shown without shelves, add intermediate shelves of your choice. The maxi-mum load is 600

kg. The shelves are adjustable in 25 mm increments. Painted/melamine/veneer version available with laminated top, contact Customer Service for more information.

Lingo Square configurations are delivered as standard based on price group A (melamine coated/painted/veneer),


HEIGHTS

The shelving system is available in 4 heights: 920,1220 1520 and 1820.



WIDTHS

The shelving system is available in 3 widths; 500, 750 and 900.












The panels are available in 2 depths; Module 250 Module 300

DEPTHS









LINGO SQUARE

SHELVING & DISPLAY

A flexible and functional piece of furniture

Lingo Square is the perfect solution for presenting and storing your books and magazines. Flexible, mobile and modern, it will fit perfectly as a freestanding piece of furniture into most types of interior design. Lingo Square is designed based on our Lingo shelving system, is available in different heights and colours and will enrich any library with its elegant design.

DIMENSIONS (mm)

- Heights: 920, 1220, 1520,1820
- Widths: 500, 750, 900Depths: 250, 300

WOODEN FINISHES

- Melamine
- Painted
- Veneer



COLOURS

The metal parts can be powder coated in any colour.

The wooden parts can be delivered in a selection of melamine finishes, lacquered in any colour or in different wooden veneers.



FUNCTIONS

- Straight and sloping shelves
- Magazine display
- Storage
- Browsers



INSTALLATION

Lingo Square is delivered knocked down and can be installed with either:

- Plinth
- Castors (8 castors, 2 with brakes)





